



SCOTT LOVEN  
<sloven@ilnorplex.org  
>

To: Kori Kuehl/ARTD/R7/USEPA/US@EPA  
cc:  
Subject: RE: ILNorplex RCRA inspection on 5-8-2003

07/14/2003 08:33 AM

I expect to have the revisions to the plan completed today, and in the mail tonight or tomorrow morning. Thanks for your patience on this matter.  
Scott

-----Original Message-----

From: Kuehl.Kori@epamail.epa.gov [mailto:Kuehl.Kori@epamail.epa.gov]  
Sent: Tuesday, July 08, 2003 12:31 PM  
To: SCOTT LOVEN  
Subject: Re: ILNorplex RCRA inspection on 5-8-2003

You can just send the parts that deals with hazardous waste regulations. If the items that you have to change is in regards to the hazardous waste regulations, please do so. If it is for other programs, you don't need to wait till the whole emergency manual is fixed before sending it to me, just send the hazardous waste regulations part to me. However, I need to remind you that you are still in violation of the regulations, and are still in non-compliance. I am willing to wait a week. Otherwise, you would have to request an extension to respond to the violations, which you can request through email.

Kori

Thanks,

Kori Kuehl, Environmental Scientist  
Environmental Protection Agency, Region 7  
901 N. 5th St.  
Kansas City, KS 66101  
913-551-7154  
Kuehl.Kori@epa.gov

SCOTT LOVEN

<sloven@ilnorplex  
Kuehl/ARTD/R7/USEPA/US@EPA  
.org>

To: Kori  
cc:

Subject: ILNorplex RCRA

inspection on 5-8-2003

07/08/2003 12:03

PM



R00416866  
RCRA RECORDS CENTER

Kori, do you need a copy of our entire emergency response manual, or only the parts that address hazardous waste? I thought that I was finished with the updates to the manual, but upon review yesterday, found more items that I would like to change. Would it be possible to wait another week or two to send you the information? I was swamped with title V and 313 reporting prior to my vacation last week, and now have time to spend on this project. I will send a copy of the updated manual to the appropriate agencies as soon as it is completed.

Scott